



Wind Instruments

seit 1996

www.klassodern.ch

DIE MUSIKWERKSTATT



What has made YAMAHA the number one musical instrument manufacturer in the world?

Continuous R&D

We are the only instrument maker who maintains a complete staff of experienced, fulltime designers for each individual wind instrument. And we station part of that staff in Europe, North America, as well as Japan to maintain constant communication with many of the greatest musicians now performing. The ideas and insights we receive from the masters are relayed back to our design center, where they are incorporated into every instrument we make.

Manufacturing Quality

We make most of the individual components for our woodwind and brass instruments with cutting-edge, computerized technology for perfect tolerances and incredible consistency. But many visitors to our factories are surprised to see the large degree of age-old, traditional methods used to hand assemble all our wind instruments—from professional models down to the most inexpensive student instruments.

Crafted With Care

Skilled, experienced artisans adjust and test each instrument by hand—and do so with a passion and care seldom seen anymore. Many of them are musicians themselves; they joined Yamaha because of their love for music. Producing the world's finest musical instruments is more than just a job for them; it is a calling, and a challenge they meet with pride.

Yamaha Wind Instrument History

In 1887, Torakusu Yamaha began producing reed organs in Hamamatsu, in central Japan. He later founded a company called Nippon Gakki (Musical Instruments of Japan). Around the same time, a Tokyo boilermaker began making bugles and established a wind instrument company named Nippon Kangakki (Japanese Wind Instruments). Both companies were active in popularizing western musical instruments in Japan, and in 1965 jointly developed the first wind instrument to bear the Yamaha name. By 1970, the two firms merged and in 1987, while commemorating their hundredth year anniversary, renamed the firm the Yamaha Corporation. Yamaha is now the world's largest and highest quality musical instrument manufacturer.



C O N T E N T S

Flutes	3
Alto Flute & Bass Flute	5
Piccolos	5
Oboes	6
B ^b /A Clarinets	7
German Style Clarinets	8
B ^b Bass Clarinets	9
E ^b Alto Clarinet	9
E ^b Clarinets	9
Bassoons	10
Alto Saxophones	11
Tenor Saxophones	11, 13
Soprano Saxophones	14
Baritone Saxophones	15
Woodwind Mouthpieces	16
B ^b Trumpets	17
C Trumpets	18
E/E ^b /D Trumpets	19
Piccolo Trumpets	20
Herald Trumpet	20
Cornets	21
Flugelhorns	22
French Horns	23
Tenor Trombones	25
Tenor Bass Trombones	26
Bass Trombones	27
Valve Trombones	27
Alto Trombone	28
German Trombones	28
Alto (Tenor) Horns/Baritones	29
Euphoniums	30
BB ^b Tubas	31
F Tubas/E ^b Tubas	33
C Tubas	34
Marching Brass	35
Sousaphones	36
Brass Mouthpieces	37



Lead-free Solder

All Yamaha products are made using lead-free solder, showing Yamaha's long time concern for the environment. We spent years studying the acoustic changes brought about by the various possible alternatives, and we have discovered a new solder which is not only better for the environment but actually adds harmonic breadth to the sound.

Flutes



YFL-994A

Handmade 900 Series

Gold headjoint, body & footjoint
Keys: gold or silver available



YFL-984CH

Handmade 800 Series

Sterling silver headjoint, body, footjoint & keys
Silver-plated



YFL-894

Wooden Flutes 800 Series

Grenadilla headjoint, body & footjoint
Sterling silver keys



YFL-894W

Handmade Series

Model	Key types	Key systems	E mechanism	Footjoint	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pivot screws (pivot point)	Pads	Finish
YFL-991/994	Ring keys	In-line	Included		Gold	Gold	Gold or silver				Plating available
YFL-981/984											
YFL-971/974	Covered keys	Offset G	Included	C footjoint / B footjoint*				White gold	Tapered (with head)	Double bladder	Silver-plated
YFL-891/894											
YFL-881/884	Ring keys	In-line	—		Sterling silver	Sterling silver	Sterling silver				
YFL-871/874											
YFL-811/814	Covered keys	Offset G	Included								

Handmade Series Wooden Flutes

YFL-894W/WH	Ring keys	In-line	Included	C footjoint / B footjoint*	Grenadilla	Grenadilla	Sterling silver	White gold	Tapered (with head)	Double bladder	Special oil treatment
YFL-874W/WH	Covered keys	Offset G									
YFL-814W/WH											

Handcrafted Professional Series Flutes

YFL-784/H	Ring keys	In-line	—			Sterling silver					
YFL-774/H	Covered keys	Offset G	Included								
YFL-714/H		Ring keys	In-line	—	C footjoint / B footjoint*	Sterling silver (Gold-plated lip plate available)	Sterling silver		White gold	Tapered (with head)	Double bladder
YFL-684/H											
YFL-674/H	Covered keys	Offset G	Included			Nickel silver					
YFL-614/H											
YFL-584/H	Ring keys	In-line	—								
YFL-574/H	Covered keys	Offset G	Included								
YFL-514/H											

*For B footjoint and Gizmo key, add "H" to the model number.

Specifications subject to change without notice.



YFL-774



YFL-684H



YFL-514



YFL-481H



YFL-371



YFL-211

Professional 700 Series

Sterling silver headjoint, body, footjoint & keys
Silver-plated

Professional 600 Series

Sterling silver headjoint, body & footjoint
Nickel-silver keys,
Silver-plated

Professional 500 Series

Sterling silver headjoint,
Nickel-silver body,
footjoint & keys,
Silver-plated

Intermediate 400 Series

Sterling silver headjoint,
body & footjoint
Nickel-silver keys,
Silver-plated

Intermediate 300 Series

Sterling silver headjoint
Nickel-silver body,
footjoint & keys,
Silver-plated

Standard 200 Series

Nickel-silver headjoint,
body, footjoint & keys
Silver-plated

Intermediate Model Flutes

Model	Key types	Key systems	E mechanism	Footjoint	Gold-plated lip plate	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pivot screws (pivot point)	Pads	Finish
YFL-481/H	Ring keys	In-line	—	C footjoint / B footjoint*	Available	Sterling silver	Sterling silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated
YFL-471			Included	C footjoint								
YFL-421	Covered keys	Offset G	—	C footjoint	—	Sterling silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated	
YFL-411			Included	C footjoint / B footjoint*								
YFL-381/H	Ring keys	In-line	—	C footjoint / B footjoint*	Available	Sterling silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated	
YFL-371			Included	C footjoint								
YFL-361	Covered keys	Offset G	—	C footjoint	—	Nickel silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated	
YFL-321			Included	C footjoint								
YFL-311			Included		Available							

Standard Model Flutes

Model	Key types	Key systems	E mechanism	Footjoint	Headjoint & lip plate	Body & footjoint	Keys	Springs	Pivot screws (pivot point)	Pads	Finish
YFL-281	Ring keys	In-line	—	C footjoint	Nickel silver	Nickel silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated
YFL-271			Included								
YFL-261	Covered keys	Offset G	—	C footjoint	Nickel silver	Nickel silver	Nickel silver	Stainless steel	Straight	Double bladder	Silver-plated
YFL-221			Included	C footjoint							
YFL-211			Included								

*For B footjoint, and Gizmo key, add "H" to the model number.

Specifications subject to change without notice.


Alto Flute & Bass Flute



Optional curved headjoint available.



YFL-A421



YFL-B441

Professional YFL-A421

G alto flute
Gold-brass headjoint,
body & footjoint
Clear lacquer finish
Sterling silver lip plate
Silver-plated keys
With straight headjoint

Professional YFL-B441

C bass flute
Gold-brass headjoint,
body & footjoint
Clear lacquer finish
Sterling silver lip plate
Silver-plated keys
With curved headjoint

Piccolos



YPC-91

Handmade YPC-91


Grenadilla body & headjoint
Sterling silver keys
With E mechanism



YPC-82

Professional YPC-82

Grenadilla body
Sterling silver headjoint
Silver-plated keys
With E mechanism



YPC-81

Professional YPC-81

Grenadilla body & headjoint
Silver-plated keys
With E mechanism



YPC-62

Professional YPC-62

Grenadilla body & headjoint
Silver-plated keys
With E mechanism
Available with nickel silver
headjoint (YPC-62M)



YPC-32

Standard YPC-32

ABS resin body
Silver-plated headjoint & keys
With E mechanism

Alto & Bass Flutes

Model	Key types	Key systems	Toneholes	Headjoint	Lip plate & riser	Body & footjoint	Keys	Headjoint type	Pivot screws (pivot point)	Pads	Finish
YFL-A421	Alto in G	Covered keys	Drawn	Gold brass	Sterling silver	Gold brass	Silver-plated nickel silver	Straight*	Tapered (with head)	Double bladder	Clear lacquer
YFL-B441	Bass in C							Curved			

*Optional curved headjoint available.

Piccolos

Model	Headjoint	E mechanism	Keys	Body	Bore	Toneholes	Springs	Pivot screws	Pads	Post mounting
YPC-91	Grenadilla	Included	Sterling silver	Grenadilla	Conical	Undercut	White gold	Tapered (with head)	Double bladder	Ribbed
YPC-82	Sterling silver									
YPC-81	Grenadilla									
YPC-62	Silver-plated nickel silver with silver lip-plate									
YPC-62M	Silver-plated nickel silver with silver lip-plate		ABS resin							
YPC-32	Silver-plated nickel silver									

Specifications subject to change without notice.

Oboes



YOB-831



YOB-832



YOB-431



YOB-432



YOB-241

Custom

YOB-831

Semi-automatic octave system
With optional thumb-plate key
(YOB-831B)
Cork pad model (YOB-831E)

Custom

YOB-832

Full-automatic octave system
With optional F resonance key
(YOB-832F)
Cork pad model (YOB-832E)

Intermediate

YOB-431

Semi-automatic octave system
With optional thumb-plate key
(YOB-431B)

Intermediate

YOB-432

Full-automatic octave system
With optional F resonance key
(YOB-432F)

Standard

YOB-241

Semi-automatic octave system
ABS resin body

Oboes

Model	System		Bore style	Mechanical features	Trill keys	Body material	Keys
YOB-832	Conservatoire (full-automatic octave system)		European	3rd octave key, Left-hand F key, Triple C, Low B-C, Fork F resonance key	Low B-C [♯] , low C-D [♯] , C [♯] -D [♯] , D [♯] -E, F [♯] -G [♯] , G [♯] -A, A [♯] -B [♯] , A [♯] -B, B-C [♯] , C-D (RH, LH)	Grenadilla	Silver-plated nickel silver
YOB-831	Conservatoire (semi-automatic octave system)			3rd octave key, Left-hand F key, Fork F resonance key	C [♯] -D [♯] , F [♯] -G [♯] , A [♯] -B [♯] , A [♯] -B, B-C [♯] , C-D (RH, LH)		
YOB-432	Simplified	Full-automatic	American	Lowest note: B [♯]	C [♯] -D [♯] , F [♯] -G [♯] , A [♯] -B, B-C [♯] , C-D (RH)	ABS resin	
YOB-431	Conservatoire	Semi-automatic					
YOB-241							

Specifications subject to change without notice.

Clarinet

B^b/A Clarinets



YCL-CSG



YCL-CSGH



YCL-CSV



YCL-SEV



YCL-CX



YCL-650

Custom
YCL-CSG/CSGH

B^b clarinet
Grenadilla body
Keys: Silver-plated (YCL-CSG)
Hamilton-plated (YCL-CSG-H)

YCL-CSG-A/CSG-AH

A clarinet
Grenadilla body
Keys: Silver-plated (YCL-CSG-A)
Hamilton-plated (YCL-CSG-AH)

Custom
YCL-CSV

B^b clarinet
Grenadilla body
Keys: Silver-plated

YCL-CSV-A

A clarinet
Grenadilla body
Keys: Silver-plated

Custom
YCL-SEV

B^b clarinet
Grenadilla body
Keys: Silver-plated

YCL-SEV-A

A clarinet
Grenadilla body
Keys: Silver-plated

Custom
YCL-CX

B^b clarinet
Grenadilla body
Keys: Silver-plated

YCL-CX-A

A clarinet
Grenadilla body
Keys: Silver-plated

Professional
YCL-650

B^b clarinet
Grenadilla body
Keys: Silver-plated
With adjustable
thumb-rest

All Yamaha Custom, Professional, and Intermediate model clarinets are available with an optional E^b lever. Add "E" to the model number.

B^b and A Clarinets

Model	Key	Fingering system	Barrel length	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece
YCL-CSG			56.5mm		Silver-plated/nickel silver	Tapered toneholes with hand-tapered undercut	Fixed	5CM
YCL-CSGH					Hamilton-plated			
YCL-CSV			65mm	Grenadilla	Silver-plated nickel silver	Tapered toneholes with tapered undercut	Fixed (Adjustable optionally available)	4CM
YCL-SEV								
YCL-CX	B ^b	Boehm 17 Keys 6 Rings						
YCL-650								
YCL-450			Matte ABS resin	Nickel-plated nickel silver	Straight toneholes with tapered undercut	Fixed	4C	
YCL-450N								
YCL-250								
YCL-CSG-A			56.5mm	Grenadilla	Silver-plated/nickel silver	Tapered toneholes with hand-tapered undercut	Fixed (Adjustable optionally available)	5CM
YCL-CSG-AH					Hamilton-plated			
YCL-CSV-A	A		65mm	Grenadilla	Silver-plated nickel silver	Tapered toneholes with hand-tapered undercut	Fixed (Adjustable optionally available)	4CM
YCL-SEV-A			64mm					
YCL-CX-A			66mm					

Specifications subject to change without notice.

German Style Clarinets



YCL-450

Intermediate
YCL-450

B^b clarinet
Grenadilla body
Keys: Silver-plated

YCL-450N

B^b clarinet
Grenadilla body
Keys: Nickel-plated



YCL-250

Standard
YCL-250

B^b clarinet
Matte finish
ABS resin body
Keys: Nickel-plated



YCL-857 II

Custom
YCL-857 II

B^b clarinet
Full Oehler system
E/F bell mechanism
27 keys, 5 rings
Grenadilla body

YCL-847 II

A clarinet



YCL-657

Professional
YCL-657

B^b clarinet
Full Oehler system
E/F bell mechanism
27 keys, 5 rings
Grenadilla body

YCL-657-24

B^b clarinet
24 keys, 5 rings

YCL-647

A clarinet



YCL-457-20

Standard
YCL-457-20

B^b clarinet
20 keys, 6 rings
Grenadilla body
Adjustable thumb-rest
with neck strap ring

YCL-457-22

B^b clarinet
22 keys, 6 rings

YCL-457-18

B^b clarinet
18 keys, 4 rings

Standard
YCL-458-20

B^b clarinet
Austrian Style
20 keys, 6 rings
Grenadilla body
Adjustable thumb-rest
with neck strap ring

YCL-458-22

B^b clarinet
22 keys, 6 rings

German Style Clarinets

Model	Key	Fingering system	Barrel length	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece
YCL-857II	B ^b					Tapered toneholes with hand-tapered undercut	Fixed	M3D
YCL-847II	A	Full Oehler 27 keys, 5 rings	54mm 56mm	Grenadilla	Silver-plated nickel silver			
YCL-657	B ^b	Oehler 24 keys, 5 rings						
YCL-657-24	A	Full Oehler 27 keys, 5 rings						
YCL-647								
YCL-457-22		Oehler 22 keys, 6 rings	56mm			Straight toneholes with tapered undercut	Adjustable	M3A
YCL-457-20		Oehler 20 keys, 6 rings						
YCL-457-18	B ^b	Oehler 18 keys, 4 rings	54mm					
YCL-458-22		Austria 22 keys, 6 rings	56mm					
YCL-458-20		Austria 20 keys, 6 rings						

Specifications subject to change without notice.

Clarinets

B^b Bass Clarinets

E^b Alto Clarinet

E^b Clarinets



YCL-622 II

Professional
YCL-622 II

B^b bass clarinet
Range to low C
Grenadilla body
Keys and bell: Silver-plated

YCL-621 II

Professional
YCL-621 II

B^b bass clarinet
Range to low E^b
Grenadilla body
Keys and bell: Silver-plated

YCL-221 II

Standard
YCL-221 II

B^b bass clarinet
Range to low E^b
Matte body ABS resin
Keys and bell: Nickel-plated
With adjustable thumb-rest

YCL-631 II

Professional
YCL-631 II

E^b alto clarinet
Grenadilla body
Keys and bell: Silver-plated

YCL-881

Custom
YCL-881

E^b clarinet
Grenadilla body
Keys: Silver-plated

YCL-681 II

Professional
YCL-681 II

E^b clarinet
Grenadilla body
Keys: Silver-plated

B^b Bass Clarinets

Model	Key	Fingering system	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece
YCL-622 II	B ^b Bass	24 keys, 7 covered finger holes	Grenadilla	Silver-plated nickel silver	Straight toneholes with tapered undercut	Fixed	4C
YCL-621 II		20 keys, 7 covered finger holes					
YCL-221 II		19 keys, 7 covered finger holes	Matte ABS resin	Nickel-plated nickel silver		Adjustable	

E^b Alto Clarinet

YCL-631 II	E ^b Alto	19 keys, 7 covered finger holes	Grenadilla	Silver-plated nickel silver	Straight toneholes with tapered undercut	Fixed	4C
------------	---------------------	---------------------------------	------------	-----------------------------	--	-------	----

E^b Clarinets

Model	Key	Fingering system	Barrel length	Body material	Key material	Toneholes	Thumb-rest	Mouthpiece
YCL-881	E ^b	Boehm 17 Keys, 6 Rings	42mm	Grenadilla	Silver-plated nickel silver	Tapered toneholes with hand-tapered undercut	Fixed	4C
YCL-681 II								

Specifications subject to change without notice.

Bassoons



YFG-811

YFG-812/C

Custom

YFG-811/C

Brilliant tone, easy response
Thinner wall

Custom

YFG-812/C

Round warm tone, powerful projection
Thicker wall

■ Compact Type

Each model is available with either traditional or compact type body styles.

Compact type bassoons have a different configuration which permits the use of a smaller case. When ordering a compact system bassoon, add 'C' to the model number.



Compact system

Mechanical Options

1. Right-hand top F# roller
2. Right-hand thumb F# rollers
3. Right-hand E rollers
4. Right-hand B^b roller
5. Right-hand pp slide system
6. Right-hand E^b trill key*
7. Left-hand rollers for C# & pp
8. Left-hand low C & low D rollers
9. Left-hand E^b trill key*
10. Joint hinge
11. A-pp arm connector
12. Silver tonehole tubes



Left-hand rollers for C# & pp lock



A-pp arm connector



Right-hand E rollers

* Please note that either #6 or #9 may be ordered, but both cannot be installed on the same instrument.

Yamaha's right-hand E rollers facilitate technique without altering key size.

Super Bocals

The shape of a bocal is just as important as the materials from which it is made and the method used for its construction. Yamaha offers four types to match the widest possible range of musical requirements.

■ C Type

This configuration has a smooth, consistent feel from the lowest to highest tones for excellent playability. The C type bocal features extremely accurate intonation with rich tonal character. This is the "standard" Super Bocal model, and is an ideal choice for all-around playing.

■ E Type

The E type bocal combines comfortable breath resistance with a beautiful round tone which is constant throughout the instrument's range. Pianissimo low-notes are especially easy to play with this bocal. An excellent match for the symphony orchestra, chamber orchestra, or other ensemble.

■ P Type

Outstanding high-range playability and tone make this bocal ideal for the soloist or first-chair orchestra player. In addition to high register security, the P-type bocal also offers a strong midrange with well-balanced low tones.

■ V Type

The V type bocal combines many of the best properties of the C, E and P types. It features easy playability, outstanding expressive capability, and an exceptionally well-defined tonal core. Excellent clarity for both classical and modern compositions.

Type	C-type	E-type	P-type	V-type
Model No.	Normal pitch CN1S	EN1S	PN1S	VN1S
	Low pitch CN2S	EN2S	PN2S	VN2S

Model	Characteristics	Fingering system	Mechanical features	Trill keys	Body	Keys	Bocals
YFG-811/C	Brilliant tone, easy response	Heckel system	High C key, High D key, 6 roller keys (low C [#] , low E ^b , F [#] , A [#] little finger, A ^b thumb, F), B [#] key guard, Balancer	F-G, E-F [#]	Long-seasoned maple	Thinner wall	Super bocals CN1S CN2S
YFG-812/C	Round warm tone, powerful projection					Thicker wall	

Specifications subject to change without notice. 10

Saxophones

All Yamaha Custom Saxophones are available in gold plate, silver-plate or black lacquer on special request. Z models are available unlacquered.



Custom Alto & Tenor Saxophones



YAS-875EX

Custom EX YAS-875EX

With high F# key and Front F mechanism

YAS-82Z

Custom Z YAS-82Z

With high F# key and Front F mechanism

Unlacquered finish available

YTS-875EX

Custom EX YTS-875EX

With high F# key and Front F mechanism

YTS-82Z

Custom Z YTS-82Z

With high F# key and Front F mechanism

Unlacquered finish available

Custom Alto & Tenor Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Pivot screw	Key buttons	Finish
YAS-875EX/EXS						Gold lacquer/Silver-plated*
YAS-82Z/ZS	High F#, Front F					Gold lacquer/Silver-plated* (Unlacquered available)
YTS-875EX/EXS		Hand engraved	Adjustable	New bullet point design	Mother of pearl	Gold lacquer/Silver-plated*
YTS-82Z/ZS	High F#, Front F (Without high F# available)					Gold lacquer/Silver-plated* (Unlacquered available)

11 *For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Alto Saxophones



YAS-62

Professional
YAS-62

With high F# key and Front F mechanism



YAS-475

Intermediate
YAS-475

With high F# key and Front F mechanism



YAS-275

Standard
YAS-275

With high F# key and Front F mechanism

E^b Alto Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Pivot screw	Key buttons	Finish
YAS-62/S		Hand engraved		Tapered, nylon tipped, with head		Gold lacquer/ Silver-plated*
YAS-475	High F#, Front F	Engraved	Adjustable		Polyester	
YAS-275		Stamped		Tapered, nylon tipped, non head		Gold lacquer

*For silver-plated finish, add "S" to the model number.

Saxophones

Tenor Saxophones



YTS-62

Professional
YTS-62

With high F# key and
Front F mechanism



YTS-475

Intermediate
YTS-475

With high F# key and
Front F mechanism



YTS-275

Standard
YTS-275

With high F# key and
Front F mechanism

B^b Tenor Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Pivot screw	Key buttons	Finish
YTS-62/S		Hand engraved				Gold lacquer/Silver-plated*
YTS-475	High F#, Front F	Engraved	Adjustable	Tapered, nylon tipped, with head	Polyester	Gold lacquer
YTS-275		Stamped		Tapered, nylon tipped, non head		Gold lacquer

13 *For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Soprano Saxophones



YSS-875EX

Custom EX YSS-875EX

With high F# key and Front F mechanism
Supplied with two necks



YSS-675

Professional YSS-675

With high F# key and Front F mechanism
with curved neck (YSS-675R)



YSS-475 II

Intermediate YSS-475 II

With high F# key and Front F mechanism

B^b Soprano Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Pivot screw	Key buttons	Finish
YSS-875EX/EXS	High F#, Front F	Hand engraved	Adjustable	Bullet point design with head	Mother of pearl	Gold lacquer/
YSS-675/S/R/RS		Laser engraved		New bullet point, non head	Polyester	Silver-plated*
YSS-475 II						Gold lacquer

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Saxophones

Baritone Saxophones



YBS-62

Professional
YBS-62

With high F# key, low A key and Front F mechanism



YBS-32

Intermediate
YBS-32

With low A key and Front F mechanism

E^b Baritone Saxophones

Model	Auxiliary keys	Bell decoration	Thumb hook	Pivot screw	Key buttons	Finish
YBS-62/S	High F#, Low A, Front F	Hand engraved	Adjustable	Bullet point design with head	Mother of pearl	Gold lacquer/Silver-plated*
YBS-32	Low A, Front F	Stamped			Polyester	Gold lacquer

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Woodwind Mouthpieces

Yamaha Custom Ebonite Mouthpieces

Yamaha Custom saxophone and clarinet mouthpieces are sculpted out of choice ebonite, a high quality hard rubber which offers a deep resonance and tonal qualities similar to those of natural wood. Every step of the production, from the initial shaping of the mouthpiece 'blank' to the final hand crafting of the facing, is done by Yamaha's experienced artisans for complete control ensuring consistent high quality.

Yamaha has spent years working together with many of the world's greatest musicians, studying their mouthpieces and discovering ways to improve them. The Custom series incorporates this experience in the design and manufacture of every mouthpiece in the series. The Custom mouthpieces are characterized by a warm rich tone with exceptional clarity. Their accurate intonation and comfortable playability have made them popular with many leading artists.



The Custom series Ebonite mouthpieces give you a sound so deep, so smooth, so rich, you'll feel like you're playing a new instrument. They come in a wide range of sizes and configurations.

Standard Model Mouthpieces

The Standard Series are made out of high quality phenol resin (plastic) and feature a design based upon the top grade Custom series.

They are extremely consistent in specifications and playing quality, and offer excellent value for their price. The facing of this series is slightly shorter than that of the Custom series making them easier to play, and easier for beginning students to achieve a rich characteristic clarinet sound. They also are available in a variety of sizes, to suit the needs of many different styles.

Clarinet

Custom

B^b/A Clarinet

Model	Facing length	Tip opening
4CM		1.05 mm
5CM	21.0 mm	1.10 mm
6CM		1.15 mm

Standard

E^b Clarinet

Model	Facing length	Tip opening
3C		0.95 mm
4C		1.00 mm
5C	17.0 mm	1.05 mm
6C		1.10 mm
7C		1.15 mm

B^b/A Clarinet

Model	Facing length	Tip opening
3C		1.00 mm
4C		1.05 mm
5C	19.0 mm	1.10 mm
6C		1.20 mm
7C		1.30 mm

E^b Alto Clarinet

Model	Facing length	Tip opening
3C		1.30 mm
4C		1.40 mm
5C	22.0 mm	1.50 mm
6C		1.60 mm
7C		1.70 mm

B^b Bass Clarinet

Model	Facing length	Tip opening
3C		1.60 mm
4C		1.70 mm
5C	31.0 mm	1.80 mm
6C		1.90 mm
7C		2.00 mm

Comments

Model	Comments
3C	Easy control and good response from lower to higher ranges, even for beginners
4C	Helps obtain a well-balanced tone over all octaves, for professionals and beginners alike
5C	Facilitates a richer, fuller volume than 4C, with a greater tonal variety
6C	An excellent mouthpiece for experienced players seeking powerful volume, strong tone, and rich tone variety
7C	A jazz favorite for penetrating volume with a rich, strong sound and precise tonality

Saxophone

Custom

B^b Soprano Saxophone

Model	Facing length	Tip opening
3CM		1.20 mm
4CM		1.25 mm
5CM	19.0 mm	1.30 mm
6CM		1.35 mm
7CM		1.40 mm

E^b Alto Saxophone

Model	Facing length	Tip opening
3CM		1.60 mm
4CM		1.70 mm
5CM	23.0 mm	1.80 mm
6CM		1.90 mm
7CM		2.00 mm

B^b Tenor Saxophone

Model	Facing length	Tip opening
3CM		1.60 mm
4CM		1.70 mm
5CM	24.0 mm	1.80 mm
6CM		1.90 mm
7CM		2.00 mm

Standard

B^b Soprano Saxophone

Model	Facing length	Tip opening
3C		1.15 mm
4C		1.20 mm
5C	19.0 mm	1.25 mm
6C		1.30 mm
7C		1.35 mm

E^b Alto Saxophone

Model	Facing length	Tip opening
3C		1.50 mm
4C		1.60 mm
5C	23.0 mm	1.70 mm
6C		1.80 mm
7C		1.90 mm

B^b Tenor Saxophone

Model	Facing length	Tip opening
3C		1.60 mm
4C		1.70 mm
5C	24.0 mm	1.80 mm
6C		1.90 mm
7C		2.00 mm

E^b Baritone Saxophone

Model	Facing length	Tip opening
5C	28.0 mm	2.10 mm

Comments

Model	Comments
3C	Suitable for beginners, helps bring out distinctive, clear sound with good response in high and low registers
4C	Easy to obtain a balanced, clear, and focused tone in any octave, ideal for professionals and beginners
5C	Provides a somewhat richer tone with greater variety of colors than 4C and excellent flexibility and response. Popular with soloists
6C	Powerful volume and rich tonal variations, excellent for experienced players
7C	Rich, bold, powerful volume and accurate attacks, well suited for jazz



Yamaha optional necks are an ideal way to refine the sound and response of your saxophone. Two basic tapers are provided, with a choice of finishes and plating.

Trumpets

B^b Trumpets




YTR-8335

Xeno
YTR-8335
Heavyweight B^b trumpet
Yellow brass bell



YTR-8335RGS

Xeno
YTR-8345
Heavyweight B^b trumpet
Yellow brass bell




YTR-8310Z

Xeno
YTR-8335RGS
Heavyweight B^b trumpet
Gold brass bell
Reverse tuning slide



YTR-6310Z

Custom
YTR-8310Z
Lightweight B^b trumpet
Yellow brass bell
Reverse tuning slide



YTR-6335

Professional
YTR-6310Z
Lightweight B^b trumpet
Yellow brass bell
Reverse tuning slide

Professional
YTR-6335
Medium-weight B^b trumpet
Yellow brass bell

Professional
YTR-6345G
Medium-weight B^b trumpet
Gold brass bell

Xeno B^b Trumpets

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-8335/S/G/GS	B ^b	ML: 11.65mm (0.459")	123mm (4-7/8")	Yellow brass/Gold brass	Heavy	Clear lacquer/	16C4-GP
YTR-8345/S/G/GS		L: 11.73mm (0.462")				Silver-plated*	
YTR-8335RGS		ML: 11.65mm (0.459")				Silver-plated	

B^b Trumpets


YTR-8310Z/ZS	B ^b	Step: 11.30mm (0.445")	127mm (5")	Yellow brass	Light	Gold lacquer/ Silver-plated*	SHEW-JAZZ
YTR-6310Z/ZS							14B4
YTR-6335/S	B ^b	ML: 11.65mm (0.459")	123mm (4-7/8")	Gold brass	Medium	Gold lacquer/ Silver-plated*	14B4
YTR-6345G/GS							11B4
YTR-4335G/GS							
YTR-2335/S	B ^b	ML: 11.65mm (0.459")		Yellow brass			11B4
YTR-1335/S							



YTR-4335GS

Intermediate
YTR-4335G


Medium-weight B^b trumpet
Gold brass bell



YTR-2335

Standard
YTR-2335

Medium-weight B^b trumpet
Yellow brass bell



YTR-1335

Standard
YTR-1335

Medium-weight B^b trumpet
Yellow brass bell

C Trumpets



YTR-8445S

Xeno
YTR-8445

Heavyweight C trumpet
Yellow brass bell



YTR-4435

Intermediate
YTR-4435

Medium-weight C trumpet
Yellow brass bell
Includes a set of slides which convert it to B^b



YTR-2435

Standard
YTR-2435

Medium-weight C trumpet
Yellow brass bell
Includes an extra tuning slide to convert it to B^b

Xeno C Trumpet

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-8445/S/G/GS	C	L: 11.73mm (0.462")	123mm (4-7/8")	Yellow brass/Gold brass	Heavy	Clear lacquer/Silver-plated*	16C4-GP

C Trumpets

YTR-4435/S	C	ML: 11.65mm (0.459")	123mm (4-7/8")	Yellow brass	Medium	Gold lacquer/Silver-plated*	11B4
YTR-2435						Clear lacquer	

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Trumpets Rotary Trumpets



YTR-936GS



YTR-436G

Custom
YTR-936G

Heavyweight B^b rotary trumpet
Gold brass bell
3rd valve slide trigger

YTR-946G

Heavyweight C rotary trumpet
Gold brass bell
3rd valve slide trigger

Intermediate
YTR-436G


Medium-weight B^b rotary trumpet
Gold brass bell
3rd valve slide trigger

Not available in all territories

E/E^b/D Trumpets



YTR-9635



YTR-9630



YTR-9610



YTR-6610S

Custom
YTR-9635

Heavyweight E/E^b trumpet
Yellow brass bell
With bells & slides for E or E^b



Custom
YTR-9630

Lightweight E^b trumpet
Gold brass bell



Custom
YTR-9610

Lightweight E^b/D trumpet
Yellow brass bell
With bells & slides for E^b or D



Professional
YTR-6610S

Lightweight E^b/D trumpet
Yellow brass bell
With slides for E^b or D



B^b and C Rotary Trumpets

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-936G/GS	B ^b	M: 11.24mm (0.442")	138mm (5-7/16")	Gold brass	Heavy	Clear lacquer/ Silver-plated*	15F4
YTR-946G/GS	C		130mm (5-1/8")				
YTR-436G	B ^b	M: 11.00mm (0.433")	134.4mm (5-1/4")				


E, E^b & D Trumpets

YTR-9635	E/E ^b	ML: 11.65mm (0.459")	123mm (4-7/8")	Yellow brass	Heavy	Silver-plated	14B4
YTR-9630	E ^b		127mm (5")	Gold brass			
YTR-9610	E ^b /D	M: 11.30mm (0.445")	120mm (4-3/4")	Yellow brass	Light	Silver-plated	14B4
YTR-6610S							

**For silver-plated finish, add "S" to the model number.*

Specifications subject to change without notice.

Piccolo Trumpets




YTR-9830

Custom

YTR-9830

B \flat /A Piccolo trumpet
Yellow brass bell
With leadpipes for B \flat or A



YTR-9820C

Custom

YTR-9820C

B \flat /A Piccolo trumpet
Yellow brass bell
With 4th rotor valve on
3rd valve slide
With leadpipes for B \flat or A



YTR-9710

Custom

YTR-9710

G/F Piccolo trumpet
Yellow brass bell
With bells and slides for G or F



YTR-6810S

Professional

YTR-6810S

B \flat /A Piccolo trumpet
Yellow brass bell
With leadpipes for B \flat or A



Herald Trumpet



YTR-6330F

Professional

YTR-6330F

B \flat herald trumpet
Yellow brass bell

Piccolo Trumpets

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YTR-9830	A/B \flat	M: 11.30mm (0.445")	101mm (4")	Yellow brass	Light	Silver-plated	14A4A
YTR-9820C		S: 10.50mm (0.413")	94mm (3-7/10")				
YTR-9710	G/F	M: 11.30mm (0.445")	101mm (4") & 110mm (4-1/3")				

B \flat Herald Trumpet

YTR-6330F	B \flat	ML: 11.65mm (0.459")	123mm (4-7/8")	Yellow brass	—	Clear lacquer	14B4
-----------	-----------	----------------------	----------------	--------------	---	---------------	------

Specifications subject to change without notice. 20

Cornets

B^b Cornets

Intermediate
YCR-4330G
Medium-weight B^b cornet
Gold brass bell



YCR-4330G



YCR-8335

Xeno
YCR-8335
Heavyweight B^b cornet
Yellow brass bell
1st & 3rd valve slide triggers



YCR-2330 II

Standard
YCR-2330 II
Medium-weight B^b cornet
Yellow brass bell



YCR-6330 II

Professional
YCR-6330 II
Medium-weight B^b cornet
Yellow brass bell



YCR-2310 II

Standard
YCR-2310 II
Medium-weight B^b cornet
Yellow brass bell

E^b Cornets



YCR-8620S

Xeno
YCR-8620S
Lightweight E^b cornet
Yellow brass bell



YCR-2610S II

Standard
YCR-2610S II
Lightweight E^b cornet
Yellow brass bell

B^b Cornets

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YCR-8335/S/G/GS	B ^b	L: 11.9mm (0.469")	125.5mm (5")	Yellow brass/Gold brass	Heavy	Clear lacquer/ Silver-plated*	KING
YCR-6330II/SII				Yellow brass			
YCR-4330G/GS		ML: 11.73mm (0.462")	119.0mm (4-2/4")	Gold brass	Medium	Gold lacquer/ Silver-plated*	11E4
YCR-2330II/SII				Yellow brass		11C4	

* For silver-plated finish, add "S" to the model number.

E^b Cornets

YCR-8620S	E ^b	M: 11.3mm (0.445")	120.0mm (4-3/4")	Yellow brass	Light	Silver-plated	6B4 (Long)
YCR-2610SII		ML: 11.65mm (0.459")	119.0mm (4-2/4")				7D4d

Specifications subject to change without notice.

Flugelhorns



YFH-6310Z

Professional
YFH-6310Z

B[♭] flugelhorn
Yellow brass bell
3rd valve slide trigger



YFH-631G

Professional
YFH-631G


B[♭] flugelhorn
Gold brass bell
3rd valve slide trigger



YFH-2310

Standard
YFH-2310

B[♭] flugelhorn
Yellow brass bell



YFH-436G

Intermediate
YFH-436G

B[♭] rotary valve flugelhorn
Gold brass bell
Not available in all territories

B[♭] Flugelhorns

Model	Key	Bore size	Bell diameter	Bell material	Weight	Finish	Mouthpiece
YFH-6310Z/ZS	B [♭]	S: 10.5mm (0.413")	151.8mm (6")	Yellow brass	Medium	Clear lacquer/ Silver-plated*	SHEW
YFH-631G/GS		MS: 11.0mm (0.433")		Gold brass			11F4
YFH-2310/S		M: 11.3mm (0.445")		Yellow brass			15F4
YFH-436G		M: 11.0mm (0.433")		Gold brass			15F4

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice. 22

Horns

Triple & Double Descant Horns



YHR-891

Custom

YHR-891

F/B^b/high F triple horn
Handmade construction
With detachable bell (YHR-891D)



YHR-892

Custom

YHR-892

F/B^b/high F triple horn
Handmade construction
A/+ valve
With detachable bell (YHR-892D)



YHR-881

Custom

YHR-881

B^b/high F double descant horn
Handmade construction
A/+ valve
With F natural valve (YHR-882)
With detachable bell (YHR-881D/882D)

Double Horns



YHR-667V

Professional

YHR-667V

F/B^b double horn
Handmade construction
With detachable bell
(YHR-667VS)
Clear lacquer finish
(YHR-667VL/667VSL)



YHR-667D

Professional

YHR-667

F/B^b double horn
With detachable bell
(YHR-667D)

Triple & Double Descant Horns

Model	Key	Bore	Bell size	Bell type	Material	Valves	Valve casings	Valve rotors	Lever action	Finish	Mouthpiece
YHR-891	F/B ^b /high F				Yellow brass	5		Hollow (Solid available)			
YHR-892	F/B ^b (A+)/high F	12mm	MS	Fixed	(Gold brass, Nickel silver available)	6	Nickel silver		Mechanical (String available)	Unlacquer (Lacquer available)	
YHR-881	B ^b (A+)/high F	(0.472")	(ML available)	(Detachable available)*		5		Solid (Hollow available)			30C4
YHR-882	B ^b (A+, FN)/high F					6					

Double Horns



YHR-668D

Professional
YHR-668
 F/B^b double horn
 Nickel-silver (YHR-668N)
 With detachable bell
 (YHR-668D/668ND)



YHR-567

Intermediate
YHR-567
 F/B^b double horn
 With detachable bell
 (YHR-567D)
 With gold brass bell
 (YHR-567G)

Single Horns



YHR-322 II

Standard
YHR-322 II
 B^b single horn
 A/+ valve

YHR-320
 B^b single horn
 Adjustable finger hook
 Without A/+ valve
Not available in all territories



YHR-314 II

Standard
YHR-314 II
 F single horn

Double Horns

Model	Key	Bore	Bell size	Bell type	Material	Valves	Valve casings	Valve rotors	Lever action	Finish	Mouthpiece
YHR-667V			ML	Fixed (Detachable available)*	Yellow brass	4	Nickel silver	Hollow	String (Mechanical available)	Unlacquer (Lacquer available)**	30C4
YHR-667			M				Yellow brass				
YHR-668	F/B ^b	12mm (0.472")	LL	Fixed (Detachable available)*	Nickel silver		Nickel silver	Solid	String	Clear lacquer	30D4
YHR-668N					Yellow brass						
YHR-567			M		Yellow brass		Yellow brass		String (Mechanical available)		32C4

*For detachable bell add 'S' to the model number. *For detachable bell add 'D' to the model number. **For lacquered finish add 'L' to the model number.

Single Horns

YHR-322 II	B ^b (A+)	12mm (0.472")	M	Fixed	Yellow brass	4	Yellow brass	Solid	String	Clear lacquer	32C4
YHR-320	B ^b					3			Mechanical		
YHR-314 II	F								String		

Trombones

Tenor Trombones



YSL-881

Xeno
YSL-881
 Heavyweight
 B^b tenor
 L bore
 Yellow brass bell



YSL-630

Professional
YSL-610
 B^b tenor
 L bore
 Yellow brass bell

Professional
YSL-630
 B^b tenor
 ML bore
 Yellow brass bell



YSL-697Z

Professional
YSL-697Z
 B^b tenor
 Dual bore
 Yellow brass bell

The YSL-697Z features ultra-close slide tolerances for improved response and resonance.



YSL-691

Professional
YSL-691
 B^b tenor
 M bore
 Yellow brass bell
 Lightweight slide

Tenor Trombones

Model	Key	Bore size	Bell size	Bell material	Slide Material (Outer/Inner)	Weight	Finish	Mouthpiece shank	Mouthpiece
YSL-881		L: 13.89mm (0.547")	220.0mm (8-2/3")	Yellow brass		Heavy	Clear lacquer	Large	SULLIVAN
YSL-881G				Gold brass					
YSL-630		ML: 13.34mm (0.525")	214.4mm (8-1/2")		Yellow brass/Nickel silver			Small	48
YSL-610		L: 13.89mm (0.547")				Standard		Large	48L
YSL-697Z	B ^b	Dual: 12.29-12.45mm (0.484-0.490")	190.4mm (7-1/2")	Yellow brass			Gold lacquer	Small	46C2
YSL-691		M: 12.9mm (0.508")	204.4mm (8")			Light			45C2
YSL-447G		L: 13.89mm (0.547")	214.4mm (8-1/2")	Gold brass	Nickel silver/Nickel silver			Large	48L
YSL-445G		ML: 13.34mm (0.525")				Standard			
YSL-354/S		M: 12.7mm (0.500")	204.4mm (8")	Yellow brass			Gold lacquer/Silver-plated*	Small	48

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.



YSL-445G

Intermediate
YSL-445G
 B^b tenor
 ML bore
 Gold brass bell

Intermediate
YSL-447G
 B^b tenor
 L bore
 Gold brass bell



YSL-354

Standard
YSL-354
 B^b tenor
 M bore
 Yellow brass bell

Tenor Bass Trombones



YSL-882O

Xeno
YSL-882O
 Heavyweight
 B^b/F tenor bass
 L bore
 Yellow brass bell



YSL-620

Professional
YSL-620
 B^b/F tenor bass
 L bore
 Yellow brass bell

Professional
YSL-640
 B^b/F tenor bass
 ML bore
 Yellow brass bell



YSL-448G

Intermediate
YSL-448G
 B^b/F tenor bass
 L bore
 Gold brass bell

Intermediate
YSL-446G
 B^b/F tenor bass
 ML bore
 Gold brass bell



YSL-356G

Standard
YSL-356G
 B^b/F tenor bass
 Dual bore
 Gold brass bell

B^b/F Tenor Bass Trombones

Model	Key	Bore size	Bell size	Bell material	Slide Material (Outer/Inner)	Weight	Finish	Mouthpiece shank	Mouthpiece
YSL-882O		L: 13.89mm (0.547")	220.0mm (8-2/3")	Yellow brass	Yellow brass/Nickel silver	Heavy	Clear lacquer	Large	SULLIVAN
YSL-882GO		ML: 13.34mm (0.525")		Gold brass				Small	48
YSL-640	B ^b /F	L: 13.89mm (0.547")	214.4mm (8-1/2")	Yellow brass		Standard	Gold lacquer	Large	48L
YSL-448G		L: 13.89mm (0.547")						Large	48L
YSL-446G		ML: 13.34mm (0.525")		Gold brass	Nickel silver/Nickel silver			Small	48
YSL-356G		Dual: 12.7-13.34mm (0.500"-0.525")	204.4mm (8")						

Specifications subject to change without notice.

Trombones

Bass Trombones



YBL-830

Xeno

YBL-830

Heavyweight bass
B^b/F/D/G^b in-line valves
LL bore
Yellow brass bell



YBL-822G

Xeno

YBL-822G

Heavyweight bass
B^b/F & B^b/F/D offset valves
LL bore
Gold brass bell
Second valve detachable



YBL-620G

Professional

YBL-620G

B^b/F/E^b & B^b/F/D bass
offset valves
LL bore
Gold brass bell
D slide included



YBL-421G

Intermediate

YBL-421G

B^b/F bass
LL bore
Gold brass bell

Valve Trombones



YSL-354V

Standard

YSL-354V

B^b valve
M bore
Yellow brass bell



YSL-354VC

Standard

YSL-354VC

C valve
M bore
Yellow brass bell

YSL-354VC valve trombone is
also available by special order.

Compact Trombone

The 350C is a full-sized trombone, using traditional slide positions, but it's much shorter in length. The ascending C valve allows you to play a full scale without using 6th or 7th positions. It is ideal for children who just can't stretch their arms far enough to play all the slide positions, but it is also suitable for adults.



YSL-350C

Standard YSL-350C

B^b /C compact
with C ascending valve
Dual bore
Gold brass bell

Alto Trombone



YSL-671

Professional YSL-671

E^b Alto
Dual bore
Yellow brass bell

German Trombones

Yamaha's German style trombones feature a slide/bell configuration the same as on conventional trombones so players can easily switch between instruments. The 603 features a removable F attachment and both models have been developed in close cooperation with one of Germany's leading trombonists.




YSL-603

Professional YSL-603

B^b /F Tenor bass
Dual bore
Gold brass bell

YSL-603 shown without removable F-attachment



YBL-605

Professional YBL-605

B^b /F/D/G^b bass
Dual bore
Gold brass bell

Bass Trombones

*Gold brass bell is also available by special order.

Model	Key	Bore size	Bell size	Bell material	Slide Material (Outer/Inner)	Weight	Finish	Comments	Mouthpiece shank	Mouthpiece
YBL-830	B ^b /F/D/G ^b			Yellow brass*	Yellow brass/Nickel silver	Heavy	Clear lacquer	In-line valves		59L
YBL-822G	B ^b /F & B ^b /F/D	LL: 14.3mm (0.563")	241.0mm (9-1/2")					Offset valves, 2nd valve detachable	Large	YEO
YBL-620G	B ^b /E/E ^b & B ^b /F/D			Gold brass	Nickel silver/Nickel silver	Standard	Gold lacquer	Offset valves, Nickel-silver side, D slide included		58L
YBL-421G	B ^b /F						Clear lacquer	—		

Valve Trombones

YSL-354V	B ^b	M: 12.7mm (0.500")	204.4mm (8")	Yellow brass	Nickel silver/ —	Standard	Gold lacquer	3 piston valves	Small	48
YSL-354VC	C									

Compact Trombone

YSL-350C	B ^b /C	Dual: 12.7-13.34mm (0.500-0.525")	204.4mm (8")	Gold brass	Yellow brass/Nickel silver	Standard	Gold lacquer	—	Small	48
----------	-------------------	-----------------------------------	--------------	------------	----------------------------	----------	--------------	---	-------	----

Alto Trombone

YSL-671/T	E ^b Alto	Dual: 11.95-12.45mm (0.470-0.490")	181.8mm (7-1/8")	Yellow brass	Yellow brass/Nickel silver	Standard	Gold lacquer	With 1/2 step trill rotor YSL-671T	Small	48A
-----------	---------------------	------------------------------------	------------------	--------------	----------------------------	----------	--------------	------------------------------------	-------	-----

German Style Trombones

YSL-603	B ^b /F	Dual: 13.0-13.59mm (0.512-0.535")	223.6mm (8-4/5")	Gold brass	Gold brass/Nickel silver	Standard	Clear lacquer	Removable F-attachment	Small	48
YBL-605	B ^b /F/D/G ^b	Dual: 13.89-14.3mm (0.547-0.563")	256mm (10")		Nickel silver/Nickel silver			—	Large	59L

Alto Horns/Baritones

Alto (Tenor) Horns



YAH-602

Professional
YAH-602

In E \flat
Valves: 3 top action



YAH-203

Standard
YAH-203

In E \flat
Valves: 3 top action

Baritones



YBH-621S

Professional
YBH-621

In B \flat
Valves: 3 top, 1 side action



YBH-301S

Intermediate
YBH-301

In B \flat
Valves: 3 top action

Alto (Tenor) Horns

Model	Key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YAH-602/S	E \flat	11.9mm (0.469")	204.7mm (8-1/16")	Yellow brass	3 valves	Clear lacquer/Silver-plated*	38D4
YAH-203/S		11.73mm (0.462")				Gold lacquer/Silver-plated*	37C4

Baritone Horns

YBH-621/S	B \flat	12.8-13.5mm (0.504-0.531")	211.4mm (8-3/8")	Yellow brass	4 valves	Clear lacquer/Silver-plated*	45C2
YBH-301/S		12.8mm (0.504")			3 valves		

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Euphoniums



Custom
YEP-842S
In B^b
Valves: 3 top,
1 side action
Compensating system
Silver-plated
with Gold-plated trim

YEP-842S



Professional
YEP-642
In B^b
Valves: 3 top,
1 side action
Compensating system

YEP-642



Professional
YEP-621
In B^b
Valves: 3 top,
1 side action

YEP-621S



Intermediate
YEP-321
In B^b
Valves: 4 top action

YEP-321S



Standard
YEP-211
In B^b
Valves: 3 front action
Bell front design

YEP-211



Standard
YEP-201
In B^b
Valves: 3 top action
Marching type
models are available

YEP-201S

Euphoniums

Model	Key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YEP-842S		15-16.8mm (0.591-0.661")	300mm (11-4/5")		4 valves, compensating	Silver-plated	53HL
YEP-642/S							51L
YEP-621/S	B ^b	14.5-16.8mm (0.571-0.661")		Yellow brass	4 valves	Clear lacquer/ Silver-plated*	
YEP-321/S		14.5-15.5mm (0.571-0.610")	280mm (11")				
YEP-211/S		14.5mm (0.571")			3 valves		48
YEP-201/S							

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Tubas

BB^b Tubas

Custom
YBB-841
In BB^b
4 rotary valves

YBB-841G
In BB^b
4 rotary valves
Material: Gold brass



YBB-841G

Professional
YBB-641
In BB^b
4 rotary valves

YBB-645G
In BB^b
4 rotary valves
Material: Gold brass



YBB-641

Professional
YBB-631
In BB^b
3 pistons, 1 side piston
Compensating system



YBB-631S

Professional
YBB-621
In BB^b
Front action: 4 pistons



YBB-621S



YBB-321

Intermediate
YBB-321

In BB^b
Top action: 4 pistons



YBB-201

Standard
YBB-201

In BB^b
Top action: 3 pistons
Marching type models are available



YBB-105

Standard
YBB-105

In BB^b
Top action: 3 pistons
Marching type models are available

BB^b Tubas

Model	Key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YBB-841	BB ^b	20.7mm (0.815")	450mm (17-3/4")	Yellow brass	4 rotary valves	Clear lacquer	
YBB-841G				Gold brass			
YBB-641		20.6mm (0.811")	419mm (16-1/2")	Yellow brass			
YBB-645G		20.7mm (0.815")		Gold brass			
YBB-631/S		17.5-19.5mm (0.689-0.768")	443mm (17-1/2")				
YBB-621/S		17.5-18.5mm (0.689-0.728")	366mm (14-3/8")		Front 4 pistons		
YBB-321/S		18.5-19.5mm (0.728-0.768")	443mm (17-1/2")	Yellow brass	Top 4 pistons	Clear lacquer/ Silver-plated*	
YBB-201/S		18.5mm (0.728")			Top 3 pistons		
YBB-105/S		16.8mm (0.661")	366mm (14-3/8")				67

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Tubas

F Tubas

Custom YFB-822

In F
Front action: 4 pistons,
1 rotary valve
a whole step down



YFB-822

Professional YFB-621

In F
Front action: 4 pistons,
1 rotary valve
half step down
with whole step slide



YFB-621S

E^b Tubas



YEB-632S

Professional YEB-632

In E^b
3 pistons, 1 side piston
Compensating system



YEB-321S

Intermediate YEB-321

In E^b
Top action: 4 pistons



YEB-201

Standard YEB-201

In E^b
Top action: 3 pistons
Marching type
models are available

F Tubas

Model	Key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YFB-822/S	F	19.5mm (0.768")	446mm (17-1/2")	Yellow brass	Front 4 pistons,	Clear lacquer/ Silver-plated*	67B4
YFB-621/S		17.5-18.5mm (0.689-0.728")	366mm (14-3/8")		1 rotary valve		

E^b Tubas

YEB-632/S	E ^b	17.5-18.5mm (0.689-0.728")	480mm (19")	Yellow brass	3 pistons + 1 compensating	Clear lacquer/ Silver-plated*	66D4
YEB-321/S			386mm (15-1/4")		Top 4 pistons		
YEB-201/S		17.5mm (0.689")	Top 3 pistons				

*For silver-plated finish, add "S" to the model number.

All photos are approximately in scale.

Specifications subject to change without notice.

C Tubas

Marching Brass



YCB-861

Custom
YCB-861

In C
5 rotary valves
5th rotary: a whole step down



YCB-822S

Custom
YCB-822

In C
Front action: 4 pistons,
1 rotary valve
a whole step down
with 2 step slide



YCB-621

Professional
YCB-621

In C
Front action: 4 pistons

C Tubas

All photos are approximately in scale.

Model	Key	Bore size	Bell size	Material	Valves	Finish	Mouthpiece
YCB-861		20.7mm (0.815")	450mm (17-3/4")		5 rotary valves	Clear lacquer	
YCB-822/S	C	19.5mm (0.768")	500mm (19-1/2")	Yellow brass	Front 4 pistons, 1 rotary valve	Clear lacquer/ Silver-plated*	67C4
YCB-621/S		17.5-18.5mm (0.689-0.728")	366mm (14-3/8")		Front 4 pistons	Silver-plated*	

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.

Marching Brass

Yamaha



YMP-204MS

Marching Mellophone YMP-204M

In F
3 pistons
with mouthpiece adapter for French Horn



YHR-302M

Marching French Horn YHR-302M

In B^b
3 pistons
1st slide thumb hook



YBH-301M

Marching Baritone YBH-301M

In B^b
3 pistons
1st slide thumb hook



YEP-202MS

Marching Euphonium YEP-202M


In B^b
3 pistons
1st slide thumb hook



YEP-201MS

Convertible Euphonium YEP-201M


In B^b
3 pistons
For left shoulder, converts to right shoulder



YEB-201MS

Convertible Tuba YEB-201M

In E^b
3 pistons
For left shoulder



YBB-105MS

Convertible Tuba YBB-105M

In BB^b
3 pistons
For left shoulder

Marching Brass

All photos are approximately in scale.

	Model	Key	Bore size	Bell size	Material	Finish	Weight	Length	Mouthpiece
Mellophone	YMP-204M/MS	F	11.73mm (0.462")	268.5mm (10-9/16")			1.6kg (3.5lb)	438mm (17-1/4")	14F4
French Horn	YHR-302M/MS	B ^b	12.0mm (0.472")	257mm (10-1/8")			1.6kg (3.5lb)	471mm (18-9/16")	30C4
Baritone	YBH-301M/MS	B ^b	14.5mm (0.571")	254mm (10")			2.5kg (5.5lb)	501mm (19-3/4")	48L
Euphonium	YEP-202M/MS	B ^b	14.5mm (0.571")	300mm (11-13/16")	Yellow Brass	Clear lacquer/ Silver-plated*	3.3kg (7.3lb)	602mm (23-11/16")	51L
	YEP-201M/MS	B ^b	14.5mm (0.571")	280mm (11")			3.5kg (7.7lb)	664mm (26-1/8")	48
Tuba	YEB-201M/MS	E ^b	17.5mm (0.689")	386mm (15-1/4")			7.1kg (15.7lb)	863mm (33-15/16")	66D4
	YEB-202M/MS		18.5mm (0.728")	500mm (19-11/16")			9.3kg (20.5lb)	1,052mm (41-7/16")	67C4
	YBB-201M/MS	BB ^b	18.5mm (0.728")	443mm (17-1/2")			9.0kg (19.8lb)	1,018mm (40-1/16")	67C4
	YBB-105M/MS		16.8mm (0.661")	366mm (14-3/8")			6.2kg (13.7lb)	827mm (32-9/16")	67

*For silver-plated finish, add "S" to the model number.

Specifications subject to change without notice.



YBB-201MS

Convertible Tuba YBB-201M

In BB^b
3 pistons
For left shoulder



YBB-202MS

Marching Tuba YBB-202M

In BB^b
3 pistons
For left shoulder

Sousaphones

YSH-411

In BB^b
Yellow brass
3 pistons
(Without case, case available
by separate order)



YSH-411S

YSH-301

In BB^b
ABS resin bell, FRP body
3 pistons
With soft case
(Without case or
hard case also available)



YSH-301

BB^b Sousaphones

Model	Key	Bore size	Bell size	Material	Valves	Finish	Weight	Mouthpiece
YSH-301	BB ^b	18.5mm (0.728")	663mm (26-1/8")	ABS resin bell, FRP body	3 pistons	---	9.1kg (20.1lb)	67C4
YSH-411/S			660mm (26")	Yellow brass		Clear lacquer/Silver-plated*	12.5kg (27.6lb)	

*For silver-plated finish, add "S" to the model number.

All photos are approximately in scale. (except Sousaphones)

Specifications subject to change without notice.

Brass Mouthpieces

Standard Series

Produced using the most advanced computer design and manufacturing technology, our Standard Series mouthpieces feature unmatched precision, smooth attack, secure control, and easy playability. They have the ideal weight for all-around usage, and are available in over 100 configurations. There's a Yamaha mouthpiece to suit every player.



Trumpet Mouthpieces

Model No.	Rim			Cup Depth	Throat	Backbore
	Inner Diameter	Contour	Thickness			
5A4	15.90 mm	semi-flat	thick	shallow	3.65 mm	semi narrow
6A4a	15.90 mm	semi-flat	thick	shallow	3.65 mm	narrow
7A4	16.24 mm	semi-flat	thick	shallow	3.65 mm	narrow
7B4	16.08 mm	semi-flat	thick	semi-shallow	3.72 mm	standard
8C4	16.19 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
9C4	16.28 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
11A4	16.46 mm	semi-flat	semi-thick	shallow	3.65 mm	semi-narrow
11B4	16.46 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
11	16.32 mm	standard	semi-thick	standard	3.72 mm	standard
11C4	16.46 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
13A4a	16.20 mm	semi-flat	thick	shallow	3.65 mm	narrow
13B4	16.63 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
13C4	16.50 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
13D4	16.68 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narrow
14A4a	16.68 mm	semi-flat	semi-thick	shallow	3.65 mm	narrow
14B4	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
14C4	16.88 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
14D4	16.80 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narrow
14E4	16.84 mm	semi-flat	semi-thick	deep	3.88 mm	wide
15B4	16.96 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
15C4	16.98 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
15E4	16.92 mm	semi-flat	semi-thick	deep	3.88 mm	wide
16C4	17.00 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
16D	17.14 mm	standard	standard	semi-deep	3.65 mm	semi-narrow
16E4	17.14 mm	semi-flat	semi-thick	deep	3.88 mm	wide
17B4	17.30 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
17C4	17.30 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
17D4	17.30 mm	semi-flat	standard	semi-deep	3.65 mm	semi-narrow
18C4	17.42 mm	semi-flat	standard	standard	3.65 mm	semi-narrow

Cornet Mouthpieces (Short Shank)

7D4d	16.24 mm	semi-flat	thick	semi-deep	4.10 mm	semi-wide
8D2	16.36 mm	semi-round	standard	semi-deep	4.10 mm	wide
9E	16.44 mm	standard	standard	deep	4.50 mm	semi-wide
11C4	16.46 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
11E4	16.46 mm	semi-flat	standard	deep	4.20 mm	standard
13E4	16.70 mm	semi-flat	standard	deep	4.50 mm	standard
14E	16.86 mm	standard	standard	deep	3.98 mm	standard
16E	17.06 mm	standard	standard	deep	3.98 mm	standard

Cornet Mouthpieces (Long Shank)

6B4	15.65 mm	semi-flat	semi-thick	semi-shallow	3.76 mm	standard
7A4	16.24 mm	semi-flat	thick	shallow	3.65 mm	standard
9C4	16.28 mm	semi-flat	standard	standard	3.65 mm	standard
11C4	16.46 mm	semi-flat	standard	standard	3.65 mm	standard
13B4	16.63 mm	semi-flat	standard	semi-shallow	3.65 mm	standard
14B4	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	standard
15C4	16.98 mm	semi-flat	standard	standard	3.65 mm	standard
16C4	17.00 mm	semi-flat	standard	standard	3.65 mm	standard
17C4	17.30 mm	semi-flat	standard	standard	3.65 mm	standard

Flugelhorn Mouthpieces

7F4	16.24 mm	semi-flat	thick	deep	4.30 mm	standard
11F4	16.46 mm	semi-flat	standard	standard	3.80 mm	standard
13F4	16.66 mm	semi-flat	standard	standard	4.30 mm	standard
14F4	16.76 mm	semi-flat	standard	standard	4.30 mm	standard
16F4	17.00 mm	semi-flat	standard	deep	4.30 mm	standard

Alto Horn Mouthpieces

Model No.	Rim			Cup Depth	Throat	Backbore
	Inner Diameter	Contour	Thickness			
37C4	18.60 mm	semi-flat	standard	standard	5.25 mm	standard
38D4	18.90 mm	semi-flat	standard	Semi-deep	5.25 mm	standard

French Horn Mouthpieces

28B	16.87 mm	standard	semi	semi-shallow (V-cup)	3.90 mm	semi-wide
29B	17.07 mm	standard	semi	semi-shallow (V-cup)	3.90 mm	semi-wide
29C4	17.08 mm	semi-flat	thick	standard (U-cup)	3.98 mm	semi-wide
29D4	16.88 mm	semi-flat	medium	semi-deep (double-cup)	4.50 mm	semi-narrow
30B	17.27 mm	standard	medium	semi-shallow (V-cup)	3.90 mm	semi-wide
30C4	17.28 mm	semi-flat	medium	standard (U-cup)	3.98 mm	standard
30D4	17.08 mm	semi-flat	standard	semi-deep (double-cup)	4.50 mm	semi-narrow
31B	17.47 mm	standard	medium	semi-shallow (V-cup)	3.90 mm	semi-wide
31D4	17.28 mm	semi-flat	medium	semi-deep (double-cup)	4.50 mm	semi-narrow
32B	17.67 mm	standard	semi	semi-shallow (V-cup)	3.90 mm	semi-wide
32C4	17.48 mm	semi-flat	medium	standard (U-cup)	3.98 mm	standard
32D4	17.48 mm	semi-flat	medium	semi-deep (double-cup)	4.50 mm	semi-narrow
33C4	17.68 mm	semi-flat	medium	standard (U-cup)	3.98 mm	standard
33B	17.87 mm	standard	semi	semi-shallow (V-cup)	3.90 mm	semi-wide
34B	18.07 mm	standard	semi	semi-shallow (V-cup)	3.90 mm	semi-wide
34C4	17.88 mm	semi-flat	medium	standard (U-cup)	3.98 mm	standard
35C4	18.08 mm	semi-flat	medium	standard (U-cup)	3.98 mm	standard

Trombone, Baritone Euphonium Mouthpieces (Small Shank)

45A	24.26 mm	standard	standard	shallow	5.85 mm	semi-narrow
45C2	24.26 mm	semi-round	standard	standard	5.85 mm	semi-narrow
46B	24.58 mm	standard	standard	semi-shallow	5.85 mm	semi-narrow
46C2	24.59 mm	semi-round	standard	standard	5.85 mm	semi-narrow
47	24.98 mm	standard	standard	standard	5.85 mm	semi-narrow
48A	25.25 mm	standard	standard	shallow	5.32 mm	semi-narrow
48	25.25 mm	standard	medium	medium	6.62 mm	semi-wide
48D	25.25 mm	standard	standard	semi-deep	6.62 mm	semi-wide
51B	25.23 mm	standard	standard	semi-shallow	6.92 mm	semi-wide
51C4	25.23 mm	semi-flat	standard	standard	6.92 mm	semi-wide
51	25.23 mm	standard	standard	standard	6.92 mm	semi-wide
51D	25.24 mm	standard	standard	semi-deep	7.11 mm	semi-wide
52	25.65 mm	standard	standard	standard	7.11 mm	semi-wide

Trombone & Euphonium Mouthpieces (Large Shank)

47	24.98 mm	standard	standard	standard	5.85 mm	standard
48	25.25 mm	standard	standard	standard	6.62 mm	semi-narrow
48D	25.25 mm	standard	standard	semi-deep	6.62 mm	semi-narrow
51B	25.23 mm	standard	standard	semi-shallow	6.92 mm	semi-wide
51C4	25.23 mm	semi-flat	standard	standard	6.92 mm	semi-wide
51	25.23 mm	standard	standard	standard	6.92 mm	semi-wide
51D	25.24 mm	standard	standard	semi-deep	7.11 mm	standard
52	25.65 mm	standard	standard	standard	7.11 mm	semi-wide
53	25.91 mm	standard	standard	standard	7.11 mm	semi-wide
54	26.15 mm	standard	standard	standard	7.11 mm	semi-wide
55	26.35 mm	standard	standard	standard	7.11 mm	semi-wide

Bass Trombone Mouthpieces

Model No.	Rim			Cup Depth	Throat	Backbore
	Inner Diameter	Contour	Thickness			
58	26.84 mm	standard	standard	standard	7.25 mm	semi-wide
59	27.22 mm	standard	semi-thin	standard	7.25 mm	semi-wide
60B	27.83 mm	standard	semi-thick	semi-shallow	6.92 mm	semi-wide
60	28.25 mm	standard	thin	standard	8.10 mm	wide

Tuba Mouthpieces

64	30.45 mm	standard	thick	standard	8.35 mm	standard
65	30.95 mm	standard	semi-thin	standard	8.35 mm	semi-wide
66B	31.37 mm	standard	standard	semi-shallow	8.35 mm	semi-wide
66	31.37 mm	standard	standard	standard	8.35 mm	standard
66D4	31.49 mm	semi-flat	semi-thick	semi-deep	8.87 mm	semi-wide
67B4	32.06 mm	semi-flat	semi-thick	semi-shallow	7.02 mm	standard
67	31.93 mm	standard	standard	standard	8.35 mm	semi-wide
67C4	32.06 mm	semi-flat	semi-thick	standard	8.10 mm	standard
68B	32.72 mm	standard	semi-thick	semi-shallow	7.50 mm	standard

GP & Silver 925 Series

Our GP and Silver Series have been created especially for professionals who require superior quality from their mouthpiece.

The GP Series features an innovative shape and extra-heavy gold-plate finish for players who prefer a focused, concentrated tonal core. The 925 Series are the first production mouthpieces in the world to be manufactured from pure sterling silver for a rich, warm tone core with sufficient sparkle for clarity and life.

Trumpet Mouthpieces

Model No.	Rim			Cup Depth	Throat	Backbore
	Inner Diameter	Contour	Thickness			
7A4-GP 7A4-ST	16.24 mm	semi-flat	thick	shallow	3.65 mm	narrow
8C4-GP	16.19 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
11B4-GP 11B4-ST	16.46 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
14A4a-GP 14A4a-ST	16.68 mm	semi-flat	semi-thick	shallow	3.65 mm	semi-narrow
14B4-GP 14B4-ST	16.85 mm	semi-flat	standard	semi-shallow	3.65 mm	semi-narrow
14C4-GP	16.88 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
16C4-GP 16C4-ST	17.00 mm	semi-flat	standard	standard	3.65 mm	semi-narrow
17C4-GP	17.30 mm	semi-flat	standard	standard	3.65 mm	semi-narrow

Cornet Mouthpieces (Short Shank)

14E-GP	16.86 mm	standard	standard	deep	3.98 mm	standard
16E-GP	17.06 mm	standard	standard	deep	3.98 mm	standard

Flugelhorn Mouthpiece

14F4-GP	16.76 mm	semi-flat	standard	standard	4.30 mm	standard
---------	----------	-----------	----------	----------	---------	----------

French Horn Mouthpieces

30-GP 30-ST	17.08 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow
31-GP 31-ST	17.28 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow
32-GP 32-ST	17.48 mm	standard	standard	standard (double-cup)	4.40 mm	semi-narrow

Trombone Mouthpieces (Small Shank)

45C2-GP	24.26 mm	semi-round	standard	standard	5.85 mm	semi-narrow
48-GP	25.25 mm	standard	standard	standard	6.62 mm	semi-wide

Trombone Mouthpiece (Large Shank)

48-GP	25.25 mm	standard	standard	standard	6.62 mm	semi-narrow
-------	----------	----------	----------	----------	---------	-------------

Bass Trombone Mouthpiece

59-GP	27.22 mm	standard	standard	standard	7.25 mm	semi-wide
-------	----------	----------	----------	----------	---------	-----------

Signature Series

For many years Yamaha has been producing special custom-made mouthpieces for the world's top players at our R&D Ateliers. These artists were not satisfied with any commercial models available and came to us with their dreams of a 'perfect' mouthpiece. They knew the kind of sound and response they wanted, and our technicians knew how to deliver it. Yamaha's Signature Series mouthpieces let others share the results of this great cooperation between artist and artisan.

Allen Vizzutti/Trumpet – An incredible trumpet virtuoso

Model No.	Inner Diameter	Contour	Thickness	Cup Depth	Throat	Backbore
VIZZUTTI	16.67 mm	semi-flat	semi-thick	very shallow	3.56 mm	very narrow

The Vizzutti mouthpiece is also available with a gold-plated rim, cup, and inner bore.

Bobby Shew/Trumpet – Legendary jazz artist

SHEW-HEAD	16.54 mm	semi round	semi thick	very shallow	3.56 mm	narrow
SHEW-JAZZ	16.85 mm	semi round	semi thick	medium	3.65 mm	medium
SHEW-FH	16.54 mm	semi round	semi thick	standard	4.40 mm	long taper

Mark Gould/Trumpet – Professor at the Juilliard School

GOULD	17.30 mm	semi-flat	standard	semi-shallow	3.88 mm	standard
-------	----------	-----------	----------	--------------	---------	----------

Rod Franks/Trumpet – Principal of the London Symphony Orchestra

FRANKS	16.82 mm	semi-flat	semi-thick	standard	3.91 mm	narrow
--------	----------	-----------	------------	----------	---------	--------

Thomas Bacon/French Horn – Soloist and chamber music artist

BACON	17.99 mm	standard	medium	semi-deep (V shape)	4.50 mm	semi-wide
-------	----------	----------	--------	---------------------	---------	-----------

James Sommerville/French Horn – Principal of the Boston Symphony

SOMMERVILLE	16.93 mm	semi flat	medium	standard (Vcup)	4.30 mm	standard
-------------	----------	-----------	--------	-----------------	---------	----------

Alain Trudel/Trombone – Soloist Extraordinaire

TRUDEL	25.23 mm	semi-round	semi-thick	deep	7.15 mm	narrow
--------	----------	------------	------------	------	---------	--------

The Trudel mouthpiece is also available with a gold-plated rim, cup, and inner bore.

Peter Sullivan/Trombone – Principal of the Pittsburgh Symphony Orchestra

SULLIVAN	25.42 mm	standard	standard	semi-deep	7.15 mm	semi-wide
----------	----------	----------	----------	-----------	---------	-----------

SULLIVAN-S for small shank is also available.

Douglas Yeo/Bass Trombone – Bass trombone of the Boston Symphony

YEO	28.72 mm	semi-flat	semi-thin	semi-deep	8.0 mm	semi-wide
-----	----------	-----------	-----------	-----------	--------	-----------

The Yeo mouthpiece is also available with a gold-plated rim, cup, and inner bore.

Roger Bobo/Tuba – Legendary soloist and teacher

BOBO-SOLO	32.2 mm	semi-flat	standard	semi-shallow	7.5 mm	standard
BOBO-SYM	32.9 mm	standard	standard	semi-shallow	7.5 mm	standard

The Bobo mouthpieces are also available with a gold-plated rim, cup, and inner bore.

Jim Self/Tuba – Top Hollywood studio artist

SELF	32.86 mm	standard	semi-thick	standard	8.00 mm	standard
------	----------	----------	------------	----------	---------	----------

Canadian Brass – The World's most popular brass ensemble

CB TR-L	16.46 mm	semi-flat	semi-thick	shallow	3.65 mm	semi-narrow
CB TR-R	16.42 mm	semi-flat	thick	deep	3.90 mm	medium
CB HR	17.86 mm	standard	medium	semi-shallow (Vcup)	4.80 mm	semi-wide
CB SL	25.42 mm	standard	standard	standard	7.15 mm	semi-wide
CB BB	32.28 mm	standard	standard	semi-shallow	8.55 mm	standard